



Technical Data:
PROPYLENE GLYCOL
(Industrial)

To: Anita

Box 2219, Columbus, Ohio 43216 - (614) 790-3333

PROPYLENE GLYCOL, (Industrial)

	<u>SPECIFICATIONS</u>	<u>TYPICAL*</u>
Specific Gravity at 20°/20°C (D-891)	1.0375 - 1.0390	1.038
Specific Gravity at 25°/25°C (D-891)	1.0351 - 1.0366	1.036
Acidity, wt.%, as Acetic Acid (D-1613)	0.005 max	0.001
Water, wt. % (E-203)	0.2 max	0.1
Color, Pt-Co (D-1209)	10 max	5
Iron, ppm (D-202)	0.5 max	0.2
Chlorides, ppm	1 max	
Distillation, °C (D-1078)		
IBP	185 min	186
Dry Point	190 max	189
Assay, wt. %	99.5 min	

SHIPPING DATA:

Pounds per Gallon, 20°C	8.64
Kg per Liter, 20°C	1.04
Flash Point, °F (T.C.C.)	211 (99.4°C)
DOT Label Required	None

ASHLAND® Propylene Glycol meets the following federal specifications:
ASTM D-5164 Propylene Glycol

Code: 3900000

C.A.S. No.: 57-55-6

C.A.S. Registry Name: 1,2-Propanediol

*Typical values should not be construed as a guaranteed analysis of any specific lot.

() Indicates ASTM Test Method

© Copyright 2005, Ashland Inc.

® Registered trademark, Ashland Inc.

0510

NOTICE: Ashland makes no warranty or representation as to the suitability of the product as specified herein for any particular application. The determination of the suitability of the above specification for any particular use is solely the responsibility of the user.

All precautionary labels and notices should be read and understood by all supervisory personnel and employees before using. Consult Ashland Distribution Company and OSHA regulations for additional safety and health information. Purchaser is responsible for complying with all applicable federal, state or local laws and regulations covering use of the product. Special attention should be given to consumer applications. Freedom to use any patent owned by Ashland or others is not to be inferred from any statement contained herein.